



## Perioperative Patient Safety: Are We Doing Enough in Resource-Limited Settings?

Tayyaba Rafiq<sup>1\*</sup> | Rummana Aqeel<sup>2</sup>

<sup>1</sup>Department of Oral and Maxillofacial Surgery, Lahore Medical and Dental College, Lahore, Pakistan | <sup>2</sup>Department of Oral Pathology, Lahore Medical and Dental College, Lahore, Pakistan

\*Correspondence: Tayyaba Rafiq ([Tayyaba.rafiq.surg@gmail.com](mailto:Tayyaba.rafiq.surg@gmail.com))

**Citation:** Rafiq T, Aqeel R. Perioperative Patient Safety: Are We Doing Enough in Resource-Limited Settings? *J Biomol Pathog Ther.* 2026;2(1):4–6.

**Received:** 13 January, 2026

**Revised:** 23 February, 2026

**Accepted:** 04 March, 2026

### ABSTRACT

**Background:** The perioperative safety is a core issue in surgery and anesthesia, but resources-constrained environments face a number of difficulties to ensure perioperative safety. The lack of skilled specialists, poor infrastructure, and inadequate access to monitoring and medications contribute extensively to the risk that could be prevented in patients. Although international checklists and safety guidelines are available, their application is frequently hampered by structural and personnel inadequacy. The costs and cultural restrictions also complicate the application of safe practices, especially to vulnerable communities in rural and low-income neighborhoods. Although the use of innovative solutions and multi-national partnerships has proven to be effective, the ongoing discrepancy between global guidelines and domestic realities has continued to undermine patient outcomes.

**Keywords:** Patient safety, Perioperative care, Surgery, Anesthesia, Health Resources, Developing Countries

Perioperative safety is the ability of health systems to avoid preventable harm to patients during surgery. In high-income nations, formal procedures and sophisticated surveillance systems have played an important role in mitigating mortality in surgical procedures<sup>1</sup>. Conversely, resource-restricted environments still have to contend with high complication rates, avoidable mortality, and unfair access to safe surgery. These differences also create an urgent question of whether what we have today is enough or if a long-term commitment is needed<sup>2</sup>. Multilevel determinants of perioperative safety in resource-constrained settings are shown in Figure 1.

Lack of qualified human resources is the root cause of system failure. Most of the facilities do not have qualified anesthesiologists, surgeons, and perioperative nurses; thus, they have to rely on undertrained personnel or task-shifting models. Although this resolves workforce-shortage, it poses a safety risk, especially during emergencies. This is further worsened by the migration of skilled professionals to other countries with high incomes, leaving behind already vulnerable systems<sup>3,4</sup>. Poor infrastructure offers another challenge: necessary monitoring devices, quality anesthesia equipment, sterile space, and continuous power supply are frequently not available in smaller or rural hospitals<sup>5</sup>. These restrictions enhance the chances of hypoxia being unnoticed, surgical site infections, and perioperative complications. Scarcity of vital medications and blood supplies also increases the risks, and in emergency operations, the timely solution plays a crucial role<sup>6</sup>.

International initiatives, such as the Surgical Safety Checklist created by the World Health Organization, are effective in lessening mortality and complications<sup>7</sup>. However, in resource-constrained settings, implementation is usually partial or sporadic. Superficial adoption is often caused by cultural barriers, resistance on the part of the staff, and the pressure of the administration, where checklists are filled out without actual involvement. This compromises the ability to improve communication, collaboration, and alertness in the operating theatre<sup>8</sup>. Financial pressure also curbs the development. In most of the low and middle-income countries, surgical care is largely dependent on out-of-pocket spending. This deters admission to perioperative services on time and puts pressure on hospitals, which encourages them to focus on volume rather than safety. Safety programs like employee education, reporting, or equipment maintenance do not hold much importance in the agenda list due to limited health budgets, as a result, patients endure avoidable damage<sup>9</sup>.

Disparities in the healthcare systems add risks to vulnerable groups. Women, rural population, and children are usually more deprived of safe surgery<sup>10</sup>. These differences are the manifestations of the larger systemic imbalances and demonstrate that special approaches should be provided to guarantee the equitable allocation of surgical resources<sup>11</sup>. Unprivileged systems cannot develop a culture of safety. The fear of blame does not allow healthcare workers to report their mistakes; therefore, the institutions do not learn the patterns to establish corrective measures. Moreover, there is a dire need for promoting a non-punitive strategy along with constant learning, an atmosphere where learning and improvement are valued rather than punishment for mistakes<sup>12</sup>.

Research innovations offer a hope for resource-constrained environments. The portable monitoring devices, solar-powered anesthesia machines, and low-cost simulation training have shown promise in filling the critical gaps<sup>13</sup>. Telemedicine is also an option that will make remote consultation and guidance possible, meaning that specialists can support the teams in underserved areas. Nonetheless, the scalability of these innovations is based on regular funding, adaptation on the local level, and integration into the national health strategies<sup>14</sup>. There have been some positive outcomes of collaboration between the governments, international health organizations, and non-governmental partners. Workforce training programs have shown an increase in safety outcomes as well as supply chain fortification and guideline dissemination programs. However, those initiatives are usually temporary without a permanent effect<sup>15</sup>. The issue of whether we are doing enough should be treated with care. The apparent improvement is flawed and inadequate in most regions of the world. The disparity between theory and practice is still large, and perioperative safety is at risk for millions of patients<sup>16</sup>.

To sum up, the safety of perioperative patients in resource-constrained environments is nowhere guaranteed. Lack of skilled workers, poor infrastructure, financial constraints, and institutional inequality are all factors that cause avoidable damage. Even though checklists, innovations, and collaborations provide some useful resources, their poor and inconsistent implementation weaken their potential. Safe perioperative care is an investment that must be made sustainable, politically willing, and with accountability adjusted according to local realities. As long as these factors are not addressed, equitable and safe surgical care could not be ensured.

## Acknowledgement

None

## Conflict of Interest

None

## Grant Support & Funding Source


None

## Authors' Contribution

Both authors contributed equally as per ICMJE

## References

1. Amrita A, Kumari J, Sinha A, Singh A, Goel N, Poonam P, et al. Role of the WHO Surgical Safety Checklist in Reducing Morbidity and Mortality Among Obstetrics and Gynecology Patients Undergoing Surgery: A Prospective Comparative Study. *Cureus*. 2024 May;16(5):e60775. <https://doi.org/10.7759/cureus.60775>
2. Hinson C, Kilpatrick C, Rasa K, Ren J, Nthumba P, Sawyer R, et al. Global surgery is stronger when infection prevention and control is incorporated: a commentary and review of the surgical infection landscape. *BMC Surg*. 2024 Dec 20;24(1):397. <https://doi.org/10.1186/s12893-024-02695-7>
3. van Duinen AJ, Gyedu A. Task Shifting and Task Sharing to Strengthen the Surgical Workforce in Sub-Saharan Africa: A Systematic Review of the Existing Literature. *World J Surg*. 2023 Dec;47(12):3081–3082. <https://doi.org/10.1007/s00268-023-07228-6>
4. Dore MA, Torabizadeh C, Keshtkaran Z. Threats to operating room personnel's occupational safety and health: a qualitative study. *Anaesth Pain Intensive Care*. 2022 Apr 6;26(3):368–381. <https://doi.org/10.35975/apic.v26i3.1912>



**Figure 1: Determinants of Perioperative Safety in Resource-Constrained Settings.** This systems diagram shows how structural constraints contribute to perioperative safety risks in resource-constrained settings. Grey areas represent inputs and resource limitations. Red areas indicate system failures and resulting adverse clinical outcome. Green areas highlight mitigating interventions. Arrows demonstrate the interconnectivity among these factors. Green arrows indicate interruption of failure pathways by interventions, while dashed arrows highlight partial mitigation of risk. (ChatGPT 5.0)

5. Iqbal M, Clement-Pervaiz MV, Ansari MJ, Pervaiz S, Sheikh S, Katpar S, et al. Proceedings of the 1st Liaquat University of Medical & Health Sciences (LUMHS) International Medical Research Conference. *Eur J Med Res.* 2017;22(Suppl 1):53. <https://doi.org/10.1186/s40001-017-0296-3>
6. Amin N, Mukherjee D, Sanapala V. Addressing anesthesia equipment issues: A step towards enhanced patient safety. *J Anaesthesiol Clin Pharmacol.* 2025 Apr–Jun;41(2):363–364. [https://doi.org/10.4103/joacp.joacp\\_33\\_24](https://doi.org/10.4103/joacp.joacp_33_24)
7. Qaiser S, Noman M, Khan MS, Ahmed UW, Arif A. The Role of WHO Surgical Checklists in Reducing Postoperative Adverse Outcomes: A Systematic Review. *Cureus.* 2024 Oct;16(10):e70923. <https://doi.org/10.7759/cureus.70923>
8. Aschbrenner KA, Walsh-Bailey C, Brown MC, Khan T, Baggett TP, Jones SMW, et al. Practical considerations for engaging staff in resource-constrained healthcare settings in implementation research: A qualitative focus group and consensus building study. *J Clin Transl Sci.* 2025 Mar 26;9(1):e65. <https://doi.org/10.1017/cts.2025.29>
9. Samad L, Ashraf MN, Mohammad AA, Fatima I, Fowler Z, Albutt K, et al. Access and Financial Burden for Patients Seeking Essential Surgical Care in Pakistan. *Ann Glob Health.* 2022 Dec 20;88(1):107. <https://doi.org/10.5334/aogh.3784>
10. Puja SS, Neha NN, Alif OR, Sultan TJ, Husna MdGZA, Jahan I, et al. Exploring the barriers to feminine healthcare access among marginalized women in Bangladesh and facilitating access through a voice bot. *Heliyon.* 2024 Jul 30;10(14):e33927. <https://doi.org/10.1016/j.heliyon.2024.e33927>
11. Mulugeta H, Zemedkun A, Mergia G, Abate SM, Gebremariam M, Jemal B, et al. Perioperative capacity and contextual challenges in teaching hospitals of southern Ethiopia: explanatory sequential mixed-methods research. *Perioper Med.* 2024 Jun 22;13:61. <https://doi.org/10.1186/s13741-024-00423-6>
12. Yusof ANM, Razali HYH. Moving Away from the Blame Culture: The Way Forward to Manage Medical Errors. *Malays J Med Sci.* 2024 Dec;31(6):126–132. <https://doi.org/10.21315/mjms2024.31.6.10>
13. Pai DR, Kumar VH, Sobana R. Perioperative crisis resource management simulation training in anaesthesia. *Indian J Anaesth.* 2024 Jan;68(1):36–44. [https://doi.org/10.4103/ija.ija\\_1151\\_23](https://doi.org/10.4103/ija.ija_1151_23)
14. Seger C, Cannesson M. Recent advances in the technology of anesthesia. *F1000Research.* 2020 May 18;9:F1000 Faculty Rev-375. <https://doi.org/10.12688/f1000research.24059.1>
15. Rajabi M, Ebrahimi P, Aryankhesal A. Collaboration between the government and nongovernmental organizations in providing health-care services: A systematic review of challenges. *J Educ Health Promot.* 2021 Jun 30;10:242. [https://doi.org/10.4103/jehp.jehp\\_1312\\_20](https://doi.org/10.4103/jehp.jehp_1312_20)
16. Calderwood MS, Anderson DJ, Bratzler DW, Dellinger EP, Garcia-Houchins S, Maragakis LL, et al. Strategies to prevent surgical site infections in acute-care hospitals: 2022 Update. *Infect Control Hosp Epidemiol.* 2023 May;44(5):695–720. <https://doi.org/10.1017/ice.2023.67>

